


Hepatitis is liver inflammation. With hepatitis, the liver has trouble screening poisons from the blood. Also, the liver can't regulate bile. This is a liquid that helps digest fats.



# Signs & Symptoms

Signs and symptoms depend on the cause. Some persons have no symptoms. When symptoms first occur, they include fatigue, fever, appetite loss, nausea and vomiting, and joint pain.

Later, symptoms are dark urine, pale, clay-colored stools, and **jaundice**. This is a yellow color to the whites of the eyes and/or the skin.

# **Hepatitis**

# **Causes**

#### One or More Types of Viral Hepatitis

- Hepatitis A. This is spread through food or water contaminated by the feces of an infected person that has the virus.
- Hepatitis B. This is caused by contact with infected blood or bodily fluids from an infected person. Examples are sharing drug needles or having sex. A mother can pass this virus to her baby during childbirth, too.
- Hepatitis C. Most often, the cause is contact with infected blood on needles, razors, toothbrushes, etc. Blood transfusions given before July, 1992 could be the cause, if the blood had the virus. Sexual contact may spread the virus, too.
- Hepatitis D. Sharing drug needles or having sexual contact with an infected person can cause this type, but only in persons who already have hepatitis B. It is not common in the U.S.
- Hepatitis E. This is caused by contact with food, water, or something contaminated with the feces of an infected person. This type is not common in the U.S. It is more common in Africa and India.

# **Non-Viral Causes of Hepatitis**

- Some immune system disorders, such as **Wilson's disease**. With this, too much copper is stored in the liver and other body organs.
- Chronic alcohol or drug use.
- Reaction to certain medicines. One example is long-term use or an overdose of acetaminophen. Heavy drinkers are more prone to this.
- Some herbs may cause hepatitis. Examples are kava and chaparral.

In some cases, the cause is not known.

## **Treatment**

Treatment depends on the type of hepatitis and how severe it is. For non-viral forms, this includes treating the disorder or stopping the use of the substance that caused it. For viral forms, treatment includes self-care measures and medications.



# Hepatitis, Continued

# **Questions to Ask**

Is the person with hepatitis unable to be roused or is he or she confused or very, very sleepy?





Do any of these problems occur?

- Yellow skin or the whites of the eyes look yellow.
- Dark urine. Pale, clay-colored stools.
- Symptoms return after recovering from hepatitis.





Do you have 2 or more of these symptoms, especially after being exposed to someone with hepatitis?

- · Unexplained fatigue.
- Fever.
- Appetite loss.
- Nausea and vomiting.
- Joint pain.



# Self-Care / Prevention

# To Help Prevent Hepatitis A and E

- Get a hepatitis A vaccine if advised by your doctor or health department. (See
   Immunization Schedule at www.Healthy
   Learn.com.) There is no vaccine for hepatitis E.
- When you travel to countries where the virus is widespread, wash your hands often. Drink boiled water. Don't eat unpeeled or uncooked fruits or foods rinsed with water. Don't use ice.
- If exposed to hepatitis A, contact your doctor to get immune globulin (IG) within 2 weeks of exposure.

# your doctor. (See **Immunization Schedule** at www.HealthyLearn.com.) There is no vaccine

for hepatitis C.

Practice **Safer Sex**. (See at www.HealthyLearn.com.)

To Help Prevent Hepatitis B, C, and D

Get 3 doses of hepatitis B vaccine if advised by

- Don't share IV drug needles.
- Don't share razors or toothbrushes. See that sterilized items are used for ear piercing, etc.



Don't share razors.

#### **To Help Prevent Non-Viral Forms**

- Use alcohol in moderation, if at all.
- Don't combine alcohol and acetaminophen. Take products that contain acetaminophen, such as Tylenol, as directed. Heed warnings listed on the label.

## **To Treat Hepatitis**

- Follow your doctor's advice for medicines, etc.
- Rest.
- Drink at least 8 glasses of fluids a day.
- Avoid alcohol and any drugs or medicines that affect the liver, such as acetaminophen.
- Follow a healthy diet. Take vitamins and minerals as advised by your doctor.



#### **Get more information from:**

HealthyLearn® • www.HealthyLearn.com

National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention 800.CDC.INFO (232.4636) www.cdc.gov/nchhstp